

ANALYTICA CHIMICA ACTA, 199 (1987)

AUTHOR INDEX

- Ahern, F.
—, Eckert, J. M., Hain, S. F., Leggett, K. E. A., Payne, N. C. and Williams, K. L. The coprecipitation of an organophosphate fraction from harbour water for X-ray fluorescence spectrometry 259
- Alonso, J.
—, Bartrolí, J., del Valle, M., Escalada, M. and Barber, R. Sandwich techniques in flow injection analysis. Part 1. Continuous recalibration techniques for process control 191
- Arruda, M. A. Z.
— and Zagatto, E. A. G. A simple stopped-flow method with continuous pumping for the spectrophotometric flow-injection determination of boron in plants 137
- Barber, R., see Alonso, J. 191
- Bartrolí, J., see Alonso, J. 191
- Batina, N.
—, Čosović, B. and Težak, Dj. Determination of surface-active compounds in precipitation studies by a.c. polarography 177
- Berg, C. M. G., van den, see van den Berg, C. M. G. 59
- Bergveld, P., see van der Schoot, B. H. 157
- Burns, D. T.
— and Chimpalee, D. Spectrophotometric determination of manganese(VII) after extraction with the ethylene-bis(triphenylphosphonium) cation 241
- Burns, D. T.
— and Tungkananuruk, N. Spectrophotometric determination of perchlorate after extraction of its Brilliant Green ion-pair with microcrystalline benzophenone 237
- Cecconie, T., see Hojjatie, M. 49
- Chico Guijarro, E.
—, Yáñez-Sedeño, P. and Polo Díez, L. M. Determination of paraquat by flow-injection spectrophotometry 203
- Chimpalee, D., see Burns, D. T. 241
- Čosović, B., see Batina, N. 177
- Del Valle, M., see Alonso, J. 191
- De Marco, R.
—, Kew, D. J. and Sullivan, J. V. The effect of the ordered phase CuAu on the accuracy of emission analysis of gold alloys 249
- Dhaktode, S. S. Simultaneous determination of lead, copper, cadmium and zinc in pure zirconium metal by differential-pulse anodic stripping voltammetry 181
- Eckert, J. M., see Ahern, F. 259
- Egsgaard, H.
— and Larsen, E. Long-term stability of a gas chromatography/mass spectrometry system in quantitative gas analysis 265
- Escalada, M., see Alonso, J. 191
- Freiser, H., see Hojjatie, M. 49
- Fuji, T., see Yonehara, N. 129
- Gupta, D., see Verma, K. K. 233
- Hain, S. F., see Ahern, F. 259
- Harrison, R. M., see Rapsomanikis, S. 41
- Henrion, G., see Scholz, F. 167
- Hernandez-Hernandez, L. H., see Sanchez, F. U. 227
- Hojjatie, M.
—, Cecconie, T. and Freiser, H. The effect of substituents on the extraction behavior of hydroxamic acids 49
- Hsieh, C., see Masters, R. 253
- Hydes, D. J. Continuous-flow determination of manganese in natural waters containing iron 221
- Idowu, O. R. Spectrofluorimetric determination of proguanil in biological fluids 215
- Ishioka, S., see Kitazume, E. 245

- Jurs, P. C., see Rohrbaugh, R. H. 99
- Kaljurand, M., see Koel, M. 197
- Kamada, M., see Yonehara, N. 129
- Kano, G., see Satake, M. 209
- Karube, I.
—, Wang, Y., Tamiya, E. and Kawai, M.
Microbial electrode sensor for vitamin B₁₂ 93
- Karube, I., see Suzuki, H. 85
- Kawai, M., see Karube, I. 93
- Kew, D. J., see de Marco, R. 249
- Kitazume, E.
—, Ishioka, S. and Mitani, E.
Determination of traces of boron in semiconductor amorphous silicon film by filament-vaporization inductively-coupled plasma/atomic emission spectrometry 245
- Koel, M.
—, Kaljurand, M. and Küllik, E.
Correlation steam/solid chromatography of trace organic compounds in water 197
- Kopanica, M., see Tocksteinová, Z. 77
- Kubota, M.
—, Reimer, R. A., Terajima, K., Yoshimura, Y. and Nishijima, A.
Inductively-coupled plasma/atomic emission spectrometry of sulfur with a vacuum scanning spectrometer and its application to the analysis of coal liquefaction catalysts 119
- Küllik, E., see Koel, M. 197
- Larsen, E., see Egsgaard, H. 265
- Lázaro, F., see Ríos, A. 15
- Leggett, K. E. A., see Ahern, F. 259
- Lloyd, J. B. F.
Anodic response to oxygen of an electrochemical detector in high-performance liquid chromatography and flow-injection analysis 161
- Loriguillo, A.
—, Silva, M. and Pérez-Bendito, D.
Versatile automatic stopped-flow system for routine analysis 29
- Luque de Castro, M. D., see Ríos, A. 15
- Marco, R., de, see de Marco, R. 249
- Masters, R.
—, Hsieh, C. and Pardue, H. L.
Echelle-spectrometer/image-dissector system for elemental quantitation by continuous-source atomic absorption spectrometry 253
- Mitani, E., see Kitazume, E. 245
- Nakajima, K.
— and Takada, T.
The S₂ emission characteristics of several organic sulfur compounds obtained by molecular emission cavity analysis and pyrolysis 147
- Newton, M. P.
— and van den Berg, C. M. G.
Determination of nickel, cobalt, copper and uranium in water by cathodic stripping chronopotentiometry with continuous flow 59
- Nishijima, A., see Kubota, M. 119
- Nitschke, L., see Scholz, F. 167
- Pantel, S.
Stat methods in analytical chemistry. Kinetic techniques for catalyzed and uncatalyzed reactions 1
- Pardue, H. L., see Masters, R. 253
- Payne, N. C., see Ahern, F. 259
- Pérez-Bendito, D., see Loriguillo, A. 29
- Polo Díez, L. M., see Chico Guijarro, E. 203
- Procopio, J. R., see Sanchez, F. U. 227
- Puri, B. K., see Satake, M. 209
- Rapsomanikis, S.
— and Harrison, R. M.
Optimization of single-column anion chromatography with indirect ultraviolet photometric and fluorimetric detection 41
- Reimer, R. A., see Kubota, M. 119
- Ríos, A.
—, Lázaro, F., Luque de Castro, M. D. and Valcárcel, M.
Multidetector flow-injection techniques for manipulation of sensitivity. Amplification and dilution methods 15
- Rohrbaugh, R. H.
— and Jurs, P. C.
Descriptions of molecular shape applied in studies of structure/activity and structure/property relationships 99
- Sakamoto, H., see Yonehara, N. 129
- Sanchez, F. U.
—, Procopio, J. R. and Hernandez-Hernandez, L. H.

- Spectrofluorimetric determination of 1,4-thienodiazepines 227
- Satake, M.
- , Kano, G., Puri, B. K. and Usami, S.
Preconcentration of copper with the ion-pair of 1,10-phenanthroline and tetraphenylborate on naphthalene 209
- Scholz, F.
- , Nitschke, L. and Henrion, G.
Determination of mercury traces by differential-pulse stripping voltammetry after sorption of mercury vapour on a gold-plated electrode 167
- Schoot, B. H., van der, see van der Schoot, B. H. 157
- Silva, M., see Loriguillo, A. 29
- Smith, B. W., see Tremblay, M. E. 111
- Struys, J.
- and Wolfs, P. M.
Determination of cyanuric acid in swimming pool water by differential pulse polarography 173
- Sullivan, J. V., see de Marco, R. 249
- Suzuki, H.
- , Tamiya, E. and Karube, I.
An amperometric sensor for carbon dioxide based on immobilized bacteria utilizing carbon dioxide 85
- Takada, T., see Nakajima, K. 147
- Tamiya, E., see Karube, I. 93
- Tamiya, E., see Suzuki, H. 85
- Terajima, K., see Kubota, M. 119
- Težak, Dj., see Batina, N. 177
- Tocksteinová, Z.
- and Kopanica, M.
Determination of caprolactam by adsorptive voltammetry after separation by thin-layer chromatography 77
- Tremblay, M. E.
- , Smith, B. W. and Winefordner, J. D.
Laser-excited ionic fluorescence spectrometry of rare-earth elements in the inductively-coupled plasma 111
- Tungkananuruk, N., see Burns, D. T. 237
- Usami, S., see Satake, M. 209
- Valcárcel, M., see Ríos, A. 15
- Valle, M., del, see del Valle, M. 191
- Van den Berg, C. M. G., see Newton, M. P. 59
- Van der Schoot, B. H.
- and Bergveld, P.
The pH-static enzyme sensor. An ISFET-based enzyme sensor, insensitive to the buffer capacity of the sample 157
- Varughese, K., see Wang, J. 185
- Verma, K. K.
- and Gupta, D.
Detection of nitrobenzene and related aromatics by reduction and indophenol formation 233
- Wang, J.
- and Varughese, K.
Determination of traces of palladium by adsorptive stripping voltammetry of the dimethylglyoxime complex 185
- Wang, Y., see Karube, I. 93
- Williams, K. L., see Ahern, F. 259
- Winefordner, J. D., see Tremblay, M. E. 111
- Wolfs, P. M., see Struys, J. 173
- Yáñez-Sedeño, P., see Chico Guijarro, E. 203
- Yonehara, N.
- , Fuji, T., Sakamoto, H. and Kamada, M.
Differential determination of antimony(III) and antimony(V) by indirect spectrophotometry with chromium(VI) and diphenylcarbazide, after reduction of antimony(V) 129
- Yoshimura, Y., see Kubota, M. 119
- Zagatto, E. A. G., see Arruda, M. A. Z. 137

